

# Nichino America

David King

Sr. Development Representative

Jim Scruggs

Technical Sales Representative

# ET

(pyraflufen-ethyl)

- Label changes for 2009
  - In crop
    - Wheat
      - 0.5 fl oz/a to 1 fl oz/a
      - Winter wheat – 6-8 inches tall to stem elongation
      - 4" weeds with reduced control over 4"
      - 0 plants back for corn, cotton, soybeans and wheat, all others 30 day plant back
      - 7 day grazing restriction
      - 30 day hay restriction
      - 60 day grain harvest restriction
      - Spring wheat 0.4 to 0.75 oz/a
    - Soybeans
      - Emergence to V2
    - Corn
      - Emergence to V2

# Vetica™/Tourismo™

- Co-formulation of two unique insecticidal active ingredients with different modes of action
- Suspension concentrate formulation consisting of 40 g/L flubendiamide and 280 g/L buprofezin
- Intended for use in vegetables and row crops, including cotton
- Lepidopteran activity of flubendiamide coupled with the homopteran spectrum of buprofezin

# NAI-2302

## Tolfenpyrad

- Mode of action
  - METI
- Activity
  - Lepidoptera
  - Mites
  - Coleoptera
    - Colorado potato beetle
  - Hemiptera
    - Stink bugs

# NNI-0101

(pyrafluquinazon)

- Mode of action
  - Feeding inhibition
- Activity
  - Aphids
  - Whiteflies
  - Thrips