

# 2009 MSU Wheat Variety Suggestions

Based on yield performance in the MSU Wheat and Oat Variety Trials

## Varieties Adapted for the Delta

Variety	Maturity*	Straw Strength	Height	Disease Resistance		Test Wt.	Bearded
				Stripe Rust	Leaf Rust		
Dixie 427	Medium	Med-High	Medium	MR	R	Low	No
AGS 2060	Early	Medium	Tall	R	R	Excellent	Yes
Dyna Gro Baldwin	Late	Excellent	Med-Tall	R	R	Avg-High	Yes
Pioneer 26R22	Med-Late	Excellent	Medium	R	MS	Low	Yes
Hornbeck 3266	Med-Early	Excellent	Medium	S	R	Avg-High	Yes
USG 3295	Med-Early	High	Short	R	R	Average	No
USG 3555	Med-Early	Excellent	Short	R	R	Average	Yes
Agripro COKER 9553	Med-Early	High	Med-Short	R	MS	High	Yes
Terral LA841	Early	Medium	Medium	R	MS	Low	Yes
Agripro COKER Magnolia	Med-Late	High	Medium	R	MS	Average	Yes
Pioneer 26R87	Early	Excellent	Medium	R	MS	Excellent	Yes
Delta King 9577	Med-Late	Medium	Medium	MR	S	Low	No
Pioneer 26R15	Late	Excellent	Medium	MR	MR	Average	Yes

*\*Variety maturity is rated specifically for the Delta region relative to other varieties. Later maturing varieties are more likely to avoid freeze-damage and thus are generally better suited to northernmost regions, particularly if wheat is planted early. Early-maturing varieties are best suited for relatively late planting dates.*



**MISSISSIPPI STATE**  
UNIVERSITY™

**EXTENSION SERVICE**

Copyright 2009 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Mississippi State University does not discriminate on the basis of race, color, religion, national origin, sex, age, disability, or veteran status.

# 2009 MSU Wheat Variety Suggestions

Based on yield performance in the MSU Wheat and Oat Variety Trials

## Varieties Adapted for North Mississippi

Variety	Maturity*	Straw Strength	Height	Disease Resistance		Test Wt.	Bearded
				Stripe Rust	Leaf Rust		
Pioneer 26R15	Late	Excellent	Medium	MR	MR	Average	Yes
Agripro COKER Magnolia	Med-Late	High	Medium	R	MS	Average	Yes
Pioneer 26R22	Med-Late	Excellent	Medium	R	MS	Low	Yes
Pioneer 26R87	Early	Excellent	Medium	R	MS	Excellent	Yes
Delta King 9577	Med-Late	Medium	Medium	MR	S	Low	No
AGS 2060	Early	Medium	Tall	R	R	Excellent	Yes
Dixie 454	Late	Excellent	Med-Tall	R	R	Excellent	No
Dyna Gro Baldwin	Late	Excellent	Med-Tall	R	R	Avg-High	Yes
Agripro COKER 9553	Med-Early	High	Med-Short	R	MS	High	Yes
Hornbeck 3266	Med-Early	Excellent	Medium	S	R	Avg-High	Yes

\*Variety maturity is rated specifically for North Mississippi relative to other varieties. Later maturing varieties are more likely to avoid freeze-damage and thus are generally better suited to northernmost regions, particularly if wheat is planted early. Early-maturing varieties are best suited for relatively late planting dates.

Copyright 2009 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Mississippi State University does not discriminate on the basis of race, color, religion, national origin, sex, age, disability, or veteran status.



**MISSISSIPPI STATE**  
**UNIVERSITY**<sup>TM</sup>

**EXTENSION SERVICE**

# 2009 MSU Wheat Variety Suggestions

Based on yield performance in the MSU Wheat and Oat Variety Trials

## Varieties Adapted for South Mississippi

Variety	Maturity*	Straw Strength	Height	Disease Resistance		Test Wt.	Bearded
				Stripe Rust	Leaf Rust		
AGS 2060	Early	Medium	Tall	R	R	Excellent	Yes
Agripro COKER Magnolia	Med-Early	High	Medium	R	MS	Average	Yes
Dyna Gro Baldwin	Medium	Excellent	Med-Tall	R	R	Avg-High	Yes
USG 3295	Med-Late	High	Short	R	R	Average	No
USG 3555	Med-Late	Excellent	Short	R	R	Average	Yes
Hornbeck 3266	Med-Late	Excellent	Medium	S	R	Average	Yes
Pioneer 26R87	Medium	Excellent	Medium	R	MS	Excellent	Yes
Progeny 185	Med-Late	Excellent	Medium	S	MS	Low	No
USG 3592	Med-Late	Low	Med-Tall	R	R	Avg-High	No
Dixie 427	Medium	Med/High	Medium	MR	R	Low	No

\*Variety maturity is rated specifically for South Mississippi relative to other varieties. Earlier-maturing varieties, such as AGS2060 and AgriPro COKER Magnolia, are generally best suited for southernmost areas. Later-maturing varieties generally have marginal adaptation south of Highway 84 and may not yield well, or may not meet vernalization requirements (cold temperatures) to stimulate head production, particularly when planting late.

Copyright 2009 by Mississippi State University. All rights reserved. This publication may be copied and distributed without alteration for nonprofit educational purposes provided that credit is given to the Mississippi State University Extension Service.

Mississippi State University does not discriminate on the basis of race, color, religion, national origin, sex, age, disability, or veteran status.



**MISSISSIPPI STATE**  
**UNIVERSITY**<sup>TM</sup>

**EXTENSION SERVICE**