

# Hay Calculator for Livestock Producers Excel Program (V2009.1) Instruction Sheet

---

Winter feeding costs make up a large portion of production costs for Mississippi livestock producers. This Excel-based program will help you evaluate hay feeding delivery systems and their economic impacts. It should provide accurate estimate of the amount of hay needed for winter feeding as well as the necessary supplementation if hay is not meeting the nutrient requirements of a specific livestock class.

Estimating how much hay you need for a specific feeding period is essential for ensuring animal feeding requirements are met. Not providing the necessary levels of crude protein (CP) and total digestible nutrients (TDN) could affect animal performance and may cause an economic loss. The hay calculator is based on different classes of livestock produced in Mississippi and will require a hay test to determine the nutritional value of the hay being fed.

**The hay calculator is compatible with Excel 93-2007. To download the hay calculator, click**

<http://msucares.com/pubs/publications/p2590.xls>

To use the hay calculator, follow the following instructions:

Make sure the macro function in your computer is enabled.

You can change macro security settings in the Trust Center, unless a system administrator in your organization has changed the default settings to prevent you from changing the settings.

- On the Developer tab, in the Code group, click Macro Security. If the Developer tab is not displayed, click the Microsoft Office Button, click Excel Options, and then in the Popular category, under Top options for working with Excel, click Show Developer tab in the Ribbon.

- In the Macro Settings category, under Macro Settings, click the option you want. Any changes you make in the Macro Settings category in Excel apply only to Excel and do not affect any other Microsoft Office program. You can also access the Trust Center in the Excel Options dialog box. Click the Microsoft Office Button, and then click Excel Options. In the Trust Center category, click Trust Center Settings, and then click the Macro Settings category.

## Hay Requirements Calculation

**Step 1.** Enter the personal information that will help to create a report for record keeping purposes. Put that information in the yellow highlighted section of the Excel sheet. A reset button at the top left corner of the sheet lets you reset the values once you have printed the calculations and analysis.

**Step 2.** A forage quality analysis is required for a more accurate estimate of the amount of nutrients available to meet livestock nutrient requirements. For information related on how to collect a hay sample, please refer to Publication 2539 at <http://msucares.com/pubs/publications/p2539.pdf>



**MISSISSIPPI STATE  
UNIVERSITY  
EXTENSION SERVICE**

Send hay samples requiring analysis to the Mississippi State Chemical Laboratory or the LSU AgCenter Forage Testing Laboratories:

Mississippi State Chemical Laboratory  
P.O. Box CR/Mississippi State, MS 39762  
Phone: (662) 325-332  
Fax: (662) 325-7807

Southeast Research Station  
Forage Quality Lab  
P. O. Drawer 567  
Franklinton, LA 70438  
Phone: (985) 839-3740 or (985) 839-2322

**Step 3.** You will need to get an inventory of the hay that is available: number of round or square bales and the average weight per bale. This helps in deter-

mining the amount of hay that is available. It will be beneficial to get the weight of at least 5 to 10 bales within the same lot to estimate the average bale weight in pounds.

**Step 4.** This step defines how long you plan to feed hay and how much hay loss you will have, based on storage and feeding methods.

**4.1 Feeding days:** How many days you plan to feed hay. This lets you determine if there is a hay surplus or deficiency.

When feeding hay, you always have hay losses, depending on how you store and feed it.

**4.2 Storage losses (Table 1):** Estimated values based on type of storage and how long the hay is stored under those conditions gives you some values to put into the calculation sheet.

<b>Table 1. Hay losses under different storage methods.</b>					
		<b>Months</b>			
		<b>0 - 9</b>		<b>12 - 18</b>	
		<b>Range</b>	<b>Average</b>	<b>Range</b>	<b>Average</b>
<b>Storage</b>	<b>Method</b>	<b>———— % Losses ————</b>			
<b>Outside</b>	<b>Not Covered</b>				
	Ground	5 - 20	7.5	15 - 50	17.5
	Elevated	3 - 15	6.0	12 - 35	11.5
<b>Outside</b>	<b>Covered</b>				
	Ground	5 - 10	2.5	10 - 15	7.0
	Elevated	2 - 4	2.0	5 - 10	5.0
<b>Under roof</b>		2 - 5	1.5	3 - 10	3.5
<b>Barn</b>		0 - 2	1.0	2 - 5	2.0

Source: Huhnkle, R.L., 2003.

**4.3 Feeding losses (Table 2):** Animals can cause hay losses. Below are sample ranges in feeding losses.

<b>Feeder Type</b>	<b>Percent Hay Feeding Losses</b>	
	<b>Range</b>	<b>Average</b>
Cone	0 - 4	2
Cradle	5 - 15	10
Ground	10 - 28	9
Ring	0 - 6	3
Trailer	5 - 11	6
Trough	8 - 20	6

Source: Buskirk et al., 2003.

**Step 5.** Select the type(s) of livestock that will be hay fed on the farm:

**5.1.** Know the right number of animals that will be fed.

**5.2.** Know the average weight per animal in pounds to calculate the metabolic weight.

**5.3.** Calculate daily dry matter intake (lb/day) based on the metabolic weight of the animal and adjust based on the crude protein and neutral detergent of the hay.

**5.4.** Hay test report: the percent dry matter "as received." This will let you calculate what percent of that dry matter is moisture and will be used to adjust daily hay fed.

**5.5. Daily hay fed:** Amount of hay needed for each livestock and adjusted for nutrient requirement and losses.

**5.6. Total hay need:** Amount of hay need (in tons) to feed a specific number of animals for specific time.

**5.7. Nutrient requirement:** Determines if the hay meets the nutrient requirements of the livestock. If it doesn't, you will need to supplement. If numbers are in red for crude protein (CP) or total digestible nutrients (TDN), you need to supplement. If numbers are in

green, nutrient requirements are met or there is a surplus. **Table 3** provides the nutrient requirements for each livestock class that need to be met with hay or feed supplementation.

<b>Table 3. Daily nutrient requirements for cattle</b>					
<b>Livestock Type</b>	<b>CP</b>	<b>TDN</b>	<b>Calcium</b>	<b>Phosphorus</b>	<b>Vitamin A</b>
	<b>%</b>		<b>(% ration)</b>		<b>(IU/lb)</b>
<b>Cattle</b>					
Rep. heifers open	9.6	60.0	0.3	0.2	1300.0
Rep. heifers bred	11.0	65.0	0.4	0.2	1300.0
Lactating 1st calf heifers	12.0	63.0	0.4	0.2	1800.0
Dry 1st calf heifers	9.6	60.0	0.3	0.2	1300.0
Dry brood cow	6.0	45.0	0.2	0.1	1300.0
Stocker Steers	13.0	70.0	0.5	0.2	1300.0
Stocker Heifers	13.0	70.0	0.5	0.2	1300.0
Breeding Bulls	13.0	70.0	0.5	0.2	1800.0
Beef yearling steers – 700-900 lb - medium frame	13.0	70.0	0.5	0.2	1300.0
Beef yearling steers – 800-1000lb - large frame	12.0	70.0	0.5	0.2	1300.0
Beef yearling heifers – 600-800 lb - medium frame	13.0	70.0	0.5	0.2	1300.0
Beef yearling heifers – 700-900 lb - large frame	12.0	70.0	0.5	0.2	1300.0
Beef cows - 900-1000 lb; moderate milk	11.0	60.0	0.3	0.2	1800.0
Beef cows - 1100-1300 lb; moderate milk	10.7	60.0	0.3	0.2	1800.0
Beef cows - 1300-1500 lb; moderate milk	10.3	59.0	0.3	0.2	1800.0
Beef cows - 900-1000 lb; high milk	13.0	65.0	0.4	0.2	1800.0
Beef cows - 1100-1300 lb; high milk	12.3	63.0	0.4	0.2	1800.0
Beef cows - 1300-1500 lb; high milk	11.8	62.0	0.4	0.2	1800.0
Beef bulls	12.0	70.0	0.5	0.2	1800.0
Dairy cows 1000 lb; 50% forage ration	11.8	62.0	0.4	0.2	1300.0
<b>Horses</b>					
Horses – mature maintenance	8.5	45.0	0.3	0.2	910.0
Horses – mares mid-gestation	9.5	50.0	0.4	0.3	1370.0
Horses – mares late-gestation	11.0	50.0	0.5	0.4	1370.0
Horses – mares 1st 3 Mo. Lactation	14.0	70.0	0.5	0.4	1370.0
Horses – mares late-lactation	12.0	60.0	0.4	0.3	1370.0
Horses – weanlings 4-6 Mo.	16.0	50.0	1.0	0.8	910.0
Horses – weanlings 6-12 Mo.	13.5	50.0	0.7	0.6	910.0
Horses – Yearlings 12-18 Mo	12.0	50.0	0.6	0.4	910.0
Horses – 18-24 Mo.	11.0	50.0	0.5	0.4	910.0

Daily nutrient requirements for cattle (continued)					
Livestock Type	CP	TDN	Calcium	Phosphorus	Vitamin A
	%		(% ration)		(IU/lb)
Horses – Light work	10.0	62.0	0.3	0.2	910.0
Horses – Moderate work	10.0	70.0	0.3	0.2	910.0
Horses – Heavy work	10.0	80.0	0.3	0.2	910.0
Horses – Stallions	11.0	55.0	0.3	0.2	910.0
<b>Sheep</b>					
Mature sheep	9.5	50.0	0.3	0.2	2350.0
Ewes – winter lamb	11.0	65.0	0.4	0.3	5000.0
Ewes – May lamb – (140% lamp crop)	11.0	65.0	0.4	0.3	5000.0
Ewes – May lamb – (180% lamp crop)	12.0	66.0	0.4	0.3	5000.0
Ewes lactating (suckling singles)	12.0	66.0	0.5	0.3	5100.0
Ewes lactating (suckling twins)	13.5	70.0	0.5	0.3	6000.0
Replacement ewe lambs	12.5	60.0	0.4	0.3	2000.0
Mature Rams	11.0	55.0	0.4	0.3	2500.0
<b>Goats</b>					
Mature doe with kids	14.0	75.0	0.5	0.4	1400.0
Weaned kid to yearling	12.0	60.0	0.2	0.2	700.0
Mature buck	11.0	55.0	0.3	0.2	700.0
<b>Donkey – 700 lb</b>	<b>6.5</b>	<b>40.0</b>	<b>0.3</b>	<b>0.2</b>	<b>910.0</b>

Sources: Gimenez, D.M. 1994; NRC, 2000; Kline et al., 2009.

**Step 6. Hay surplus/deficiency:** Based on the total hay needed for a specific feeding time frame. If numbers are red, you need to buy hay. If numbers are in green, there is sufficient hay or a surplus.

**Step 7. Hay cost analysis** lets you calculate how much hay you need, if there is a deficiency of hay, and how much the hay costs. You will need to know the average weight of the bales and the price per bale you will buy in case you need extra hay.

This information is for educational and preliminary planning purposes only. Use this program as a Guide Only. The hay calculator uses public available information as a basis for its calculations; such information may change over time. The users assume the risk of using or otherwise relying upon any hay calculator output. The hay calculator does not provide supplementation recommendations.

Mississippi State Extension Service does not warrant the functionality of the calculator or that any errors can or will be discovered or corrected. Mississippi State Extension Service does not warrant the accuracy or completeness of any hay calculator output. The hay calculator, its operation, and any output are provided “as is” and without any express or implied warranty, including merchantability or

fitness for a particular purpose. Mississippi State Extension Service shall not be bound by any hay calculator output and is not responsible for use or reliance on such output.

#### References

- Buskirk, D.D., A.J. Zanella, T.M. Harrigan, J.L. Van Lente, L.M. Gnagey, and M.J. Kaercher. 2003. Large round bale feeder design affects hay utilization and beef cow behavior. *J. Anim. Sci.* 81: 109-115.
- Gimenez, D.M. 1994. Nutrient requirements of sheep and goats. *Alabama Coop. Ext. Serv. ANR-812.*
- Huhnke, R.L. 2003. Round bale hay storage. *Oklahoma State Coop. Ext. Serv. F-1716.*
- Kline, R., S. Porr, and J. Cardina. *Horse Nutrition.* Ohio State Coop. Ext. Serv. Bulletin 762-00.  
Online: <http://ohioline.osu.edu/b762/index.html> (Accessed May 15, 2009).
- Lalman, D. and C. Richards. 2006. *Oklahoma State University Feed Commodity Bulletin: Nutrient composition table.* Oklahoma State University. Online:  
<http://www.ansi.okstate.edu/exten/feedbull/nutrient.htm> (Accessed August 14, 2009).
- National Research Council (NRC). *Nutrient requirements for Beef Cattle.* 2000. National Academic Press.



MISSISSIPPI STATE  
UNIVERSITY

EXTENSION SERVICE

msucare.com

By **Dr. Rocky Lemus**, Assistant Extension Professor, and **Dr. Daniel Rivera**, Assistant Research and Extension Professor, South Mississippi Research and Extension Center.

Discrimination based upon race, color, religion, sex, national origin, age, disability, or veteran's status is a violation of federal and state law and MSU policy and will not be tolerated. Discrimination based upon sexual orientation or group affiliation is a violation of MSU policy and will not be tolerated.

#### Publication 2590

Extension Service of Mississippi State University, cooperating with U.S. Department of Agriculture. Published in furtherance of Acts of Congress, May 8 and June 30, 1914. MELISSA J. MIXON, Interim Director POD 01-10