

Selecting & Maintaining Poinsettias




Poinsettia (*Euphorbia pulcherrima*) is the traditional flower associated with the Christmas season and the top-selling flowering potted plant in the United States. The brightly colored parts of the plant (called bracts) are actually modified leaves. The true flowers are the yellow bead-like structures in the center of the poinsettia (called cyathia). Poinsettias range in color from the traditional red to pink, white, salmon, and bicolor. Hybridizers continue to develop more colorful, stronger cultivars that have longer-lasting bracts. If properly cared for, poinsettias may last many weeks or up to several months.

Choosing a Poinsettia

When purchasing poinsettias, select plants with these characteristics:

- Brightly colored bracts and unopened or partially opened yellow flowers (cyathia) in the center.
- Dark green foliage covering the stem to the soil line of the plant.
- Leaves and bracts showing no drooping or wilting.
- Leaves or bracts that are not faded, discolored, or torn.
- Good form and in proportion with the container. A good rule is the plant should be 2½ times taller than the diameter of the container.
- No evidence of whiteflies, aphids, or other pests on the undersides of the leaves.



Care of Poinsettias during the Holidays

- Place the poinsettia in a bright location in the home where it can receive indirect light. Although it can withstand direct sunlight, watering requirements will increase and the flowers will not last as long.
- Keep poinsettias away from drafts, HVAC vents, and home heaters.
- Avoid letting the bracts touch cold windowpanes because the transfer of outdoor temperatures can cause damage.
- Overwatering is a major cause of early leaf and bract drop in poinsettias, so keep the plant moist but not soggy.
- If the poinsettia came with a plastic decorator wrap, punch drainage holes



TIP: For added humidity in the dry environment of most homes, place the poinsettia on a saucer filled with gravel. Add water to the top of the gravel line and below the bottom of the pot. The evaporation will provide additional humidity for the plant.



MISSISSIPPI STATE
UNIVERSITY
EXTENSION SERVICE

in the bottom of the plastic wrap or remove it for proper drainage.

- Place the plant on a drainage saucer.
- When needed, water the plants thoroughly until the water drains out into the saucer. Then pour off excess water so the potting soil will not become soggy.
- Maintain temperatures of 68 °F to 72 °F during the day and around 60 °F to 65 °F at night. Do not allow temperatures to drop below 50 °F.
- It is not necessary to fertilize the plants when in flower.

After-Christmas Care for Reblooming

With yearlong care it is possible, although very challenging, for some varieties of poinsettias to reflower the following Christmas. For most of us, it is easier simply to discard the poinsettia after the holidays and purchase new ones that are professionally grown in greenhouses each year. However, if you are up to the challenge, the following information will help guide you.

Single-stemmed poinsettias, which are nonbranching, do not reflower well. It is best to discard them after blooming.

Many of the new varieties of poinsettias have foliage and bracts that remain throughout the entire winter and into spring. Continue to water and provide indirect light for these poinsettias with the same care as during the Christmas season. When the bracts begin to fade, let the soil in the pot dry, but do not let the stems shrivel. Keep the plant in a warm area as it becomes semi-dormant.

When all danger of frost has passed and night temperatures average 55 °F or above, cut the poinsettia back to 6 to 8 inches in height. Remove the plant from the pot and repot in a larger container using a packaged potting mix; place the container outdoors. Or you can plant it directly into a flowerbed. Either way, make sure you choose a wind-protected, sunny location with some protection from midday and afternoon sun.

Continue to provide water and begin fertilizing every 3 to 4 weeks with a well-balanced, complete fertilizer, such as a 10-5-10. Always follow package directions when using any fertilizer.

New growth should appear within 2 weeks of repotting or planting into the ground. Be sure to keep the plants moist during the hot, dry months of June, July, and August.

Pinching back or pruning of new growth will be required during the summer months to keep the plant compact and bushy. Depending on the rate of



growth, you may need to cut back once a month, leaving four leaves on each shoot. Do not pinch or prune after September 1 because this can impact or delay flowering.

As danger of frost approaches, move the plant indoors or to a protective structure where it will get maximum sunlight during the day and a minimum temperature of 60 °F at night.

Poinsettias are photoperiodic plants and respond to night length. You must artificially manage the environment to stimulate flowering, which naturally occurs around Christmas in their native Central America. To do this, protect them from the cold by moving indoors and providing the long, uninterrupted nights they require to bloom.

From October 1 until blooming, poinsettias should be placed in complete darkness for 14 continuous hours at night. Even the slightest amount of light from a garage light or door opening will keep the plant from flowering by Christmas. If it is necessary to grow the plant in a room where artificial light is common in the evening, make a cover for the plant by using a dark material or move it to a darkened room or closet each night.

During this 7- to 10-week period, the poinsettias also require 6 to 8 hours of bright sunlight.

Depending on the cultivar, the bracts should begin to color by late November and the poinsettia should be in full flower by Christmas (if they have been exposed to the normal period of darkness and daylight after October 1).

Continue to water regularly and fertilize every 14 days. When colored bracts begin appearing, the poinsettia can be removed from continuous darkness and treated as you would a new poinsettia plant.

During the growth and photoperiodic treatment of your poinsettia, monitor it for insect and disease problems. Contact your local Extension office for control recommendations if you notice insects or suspect a disease problem.

Poinsettia Trivia

- The plant we know as “poinsettia” is native to Mexico in the southern region known as Taxco del Alarcon.
- The poinsettia was introduced in 1828 by the first U.S. ambassador to Mexico, Joel Poinsett.
- The poinsettia has a milky, latex-like sap that may irritate the skin or eyes in some individuals.
- The poinsettia is NOT poisonous.
- Although research has shown it is not toxic, it is not recommended for human or animal consumption.
- National Poinsettia Day is December 12.
- Ancient Aztecs extracted a purplish dye from the bracts to be used in cosmetics and textiles.
- The sap was used by the Aztecs to treat fever.
- Other names for the poinsettia are lobster flower and flame leaf flower.

Resources

Paul Ecke Poinsettias, How to Care for Your Poinsettia
http://www.pauleckepoinsettias.com/html/point_fset.html

Paul Ecke Poinsettias, Technical Information Bulletin, Consumer Care Tips
http://www.ecke.com/html/tibs/tib_cons_care.html

North Carolina State University, Horticulture Information Sheet 8508, Consumer Care of Poinsettias
<http://www.ces.ncsu.edu/depts/hort/hil/pdf/hil-8508.pdf>

Kansas State University, Publication MF-521, Garden Center Guide Home Care of Poinsettias
<http://www.ksre.ksu.edu/library/hort2/mf521.pdf>

University of Illinois Extension, The Poinsettia Pages
<http://urbanext.illinois.edu/poinsettia/care.cfm>

University of Minnesota Extension, Yard and Garden News: Poinsettias, Dec 1, 2008, Vol. 10 No. 17
<http://www.extension.umn.edu/projects/yardandgarden/YGLNews/YGLNewsDec12008.html#art1>



TIP: Although bloom time will vary somewhat by cultivar, you can manipulate the bloom time by adjusting the start date of the long-night treatment. Simply begin 7 to 10 weeks before your desired bloom time. Just remember it must have 14 hours of uninterrupted darkness and 8 hours of bright light each day until the bracts show color.



Legend of the Poinsettia

A charming story is told of Pepita, a poor Mexican girl who had no gift to present the Christ Child at Christmas Eve services. As Pepita walked slowly to the chapel with her cousin Pedro, her heart was filled with sadness rather than joy.

"I am sure, Pepita, that even the most humble gift, if given in love, will be acceptable in His eyes," said Pedro, consolingly.

Not knowing what else to do, Pepita knelt by the roadside and gathered a handful of common weeds, fashioning them into a small bouquet. Looking at the scraggly bunch of weeds, she felt more saddened and embarrassed than ever by the humbleness of her offering. She fought back a tear as she entered the small village chapel.

As she approached the altar, she remembered Pedro's kind words: "Even the most humble gift, if given in love, will be acceptable in His eyes." She felt her spirit lift as she knelt to lay the bouquet at the foot of the nativity scene.

Suddenly, the bouquet of weeds burst into blooms of brilliant red, and all who saw them were certain that they had witnessed a Christmas miracle right before their eyes.

From that day on, the bright red flowers were known as the Flores de Noche Buena, or Flowers of the Holy Night, for they bloomed each year during the Christmas season.

Today, the common name for this plant is "poinsettia."

Reprinted with permission from the Paul Ecke Ranch in Encinitas, California.